

TABL. 8 (12). **JAKOŚĆ WODY DOSTARCZANEJ LUDNOŚCI DO SPOŻYCIA^a Z WODOCIĄGÓW I STUDNI**
QUALITY OF WATER SUPPLIED TO THE POPULATION FOR CONSUMPTION^a FROM WATERWORKS AND WELLS

FROM WATERWORKS AND WELLS						
WYSZCZEGÓLNIENIE	Ludność ^b zaopatrywana w wodę — w % ludności korzystającej z urządzeń <i>Population ^b supplied with water — in % of population using facilities</i>					SPECIFICATION
	odpowiadającą wymaganiom sanitarnym <i>meeting sanitary requirements</i>		nieodpowiadającą wymaganiom sanitarnym <i>non meeting sanitary requirements</i>			
	miasta <i>urban areas</i>	wieś <i>rural areas</i>	miasta <i>urban areas</i>	wieś <i>rural areas</i>		
Wodociągi o wydajności w m ³ /d:						<i>Waterworks with a capacity of m³/24h:</i>
poniżej 10	2002	62,6	68,2	37,4	31,8	<i>below 10</i>
	2003	56,6	64,2	43,4	35,8	
10 — 1000	2002	59,1	85,7	40,9	14,3	<i>10 — 1000</i>
	2003	80,9	84,0	19,1	16,0	
1001 — 10000	2002	93,1	65,7	6,9	34,3	<i>1001 — 10000</i>
	2003	92,2	100,0	7,8	-	
powyżej 10000	2002	100,0	-	-	-	<i>over 10000</i>
	2003	89,0	-	11,0	-	
Studnie ^c :						<i>Wells ^c:</i>
publiczne	2002	40,4	7,1	59,6	92,9	<i>public</i>
	2003	30,0	-	70,0	100,0	
inne	2002	100,0	50,0	-	50,0	<i>others</i>
	2003	-	82,6	-	17,4	

^a Patrz uwagi ogólne, ust. 5. ^b Według szacunków. ^c Zakładowe i przydomowe, z tym że nadzorowi podlegają tylko studnie, z których korzystają gospodarstwa agroturystyczne i sezonowe obiekty wypoczynkowe znajdujące się w pobliżu potencjalnych źródeł zanieczyszczeń wody na terenach objętych powodzią, na które wpływają skargi mieszkańców.

Źródło: dane Ministerstwa Zdrowia.

^a See general notes, item 5. ^b Estimated data. ^c Plant and attached to households; wells used by farm accommodation for tourists and seasonal tourists accommodation establishments situated near potential source of water pollution in flood prone area about which complains are being made only, are the subject of monitoring.

Source: data of the Ministry of Health.